

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A241.01
F762E
Cop. 2

September 1, 1965

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
FOREST PRODUCTS LABORATORY
MADISON, WISCONSIN

Exchange of Translations Scheme
(British Commonwealth Forestry Conference)

Translation No.

Author, Title, and Source

(a) Translations completed and distributed

- | | |
|-----|---|
| 623 | BURO, A. and E. A. Studies on the permeability of pine wood. Holz als Roh- und Werkstoff 17(12):461-474, 1959. |
| 624 | BURO, A. and E. A. Contribution to the knowledge of how liquids penetrate into pine wood. Holzforschung 13(3):71-77, 1959. |
| 626 | BUSCHBECK, L., KEHR, E., and JENSEN, U. Investigation of the suitability of various types and categories of wood for the manufacture of particle board. 1. Beech and Scots Pine. Holztechnologie 2(2):99-110, 1961. |
| 628 | ZAK, H., and KRAUTHAUF, E. Changes in sulfite pulp quality due to open-air storage of hardwood and softwood chips. Das Papier 18(11):691-699, 1964. |
| 629 | STEGMANN, G., and GINZEL, W. Determination of the content of urea-formaldehyde adhesives in particle board. Holz als Roh- und Werkstoff 23(2):55-57, 1965. |
| 630 | HINSELMANN, D., JENTSCH, S., and DRECHSLER, W. Investigations on manufacturing medium density fiber-board after the fiber-drying process. Holztechnologie 5(4):219-224, 1964. |

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

DEC 1 - 1965

CURRENT SERIAL RECORDS

- 631 GILLWALD, W., and GÖTZE, H. Investigations on the influence of particle moisture on the production of particle board in small plants using shavings and Plastacol 470. Holztechnologie 5(4):241-247, 1964.

(b) Translations being reproduced

- 537 GRATZL, A. Effects on the atability of furniture parts. Holz als Roh- und Werkstoff 21(4):149-153, 1963.
- 575 CLAD, W. Glue testing in a large chemical plant. Holz als Roh- und Werkstoff 21(11):447-452, 1963.
- 578 WEBER, A. Magnetostrictive measurements of the forces in woodmoulding. Holz als Roh- und Werkstoff 20(12):486-492, 1962.
- 604 BHATNAGAR, N. S. Creep of wood in tension parallel to grain. Holz als Roh- und Werkstoff 22(8):296-299, 1964.

(c) Translations scheduled

- 636 PENSAR, G., and BRUNN, H. H. Studies on components in wood. 2. Gas-chromatographic separation of methyl esters of individual resin acids. Acta Academiae Aboensis, Ser. B. 24(6):1-15, 1964.
- 637 CUDINOV, B. S. Determination of mean effective thermal coefficients of wood. Trud. Inst. Les. 65:48-65, 1963.
- 638 STEGMANN, G., and DURST, J. Particle board from beech wood. Moderne Holzverarbeitung 58:313-318. Holz-Zentralblatt 90(153):Dec. 21, 1964.